

SPECIAL DATA COLLECTION SYSTEM EVENT REPORT NTS Event "INLET", 20 November 1975

K.J. Hill, M.S. Dawkins, R.R. Baumstark, and M.D.Gillispie
Alexandria Laboratories

Teledyne Geotech, 314 Montgomery Street, Alexandria, Virginia 22314

February 1976

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

Sponsored By
The Defense Advanced Research Projects Agency
Nuclear Monitoring Research Office
1400 Wilson Boulevard, Arlington, Virginia 22209
ARPA Order No. 2897

Monitored By

VELA Seismological Center

312 Montgomery Street, Alexandria, Virginia 22314



Disclaimer: Neither the Defense Advanced Research Projects Agency nor the Air Force Technical Applications Center will be responsible for information contained herein which has been supplied by other organizations or contractors, and this document is subject to later revision as may be necessary. The views and conclusions presented are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the Defense Advanced Research Projects Agency, the Air Force Technical Applications Center, or the US Government.

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
SDCS-ER-75-71	NO. 3. RECIPIENT'S CATALOG NUMBER
TITLE (and Subtitio)	S. TYPE OF REPORT & PERIOD COVERE
SPECIAL DATA COLLECTION SYSTEM (SDCS)	9 Technical rest.
NTS Event "INLET", 20 November 1975	6. PERFORMING ORG. REPORT NUMBER
, AUTHOR(•)/	8. CONTRACT OR GRANT NUMBER(4)
Hill, K. J., Dawkins, M. S., Baumstark, R. R.	F08606-74-C-0013
and/Gillispie/M. D.	15 MARYA Cuae
PERFORMING ORGANIZATION NAME AND ADDRESS	PROGRAM ELEMENT, PROJECT, TASK
Teledyne Geotech 314 Montgomery Street Alexandria, Virginia 22314	AF -T/4703
II. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
Defense Advanced Research Projects Agency	1/) 24 Febra 76
Nuclear Monitoring Research Office	13. NUMBER OF PAGES 12 18 P
14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Offi	ce) 15. SECURITY CLASS, (of this report)
VELA Seismological Center	Unclassified
312 Montgomery Street Alexandria, Virginia 22314	IS. DECLASSIFICATION/DOWNGRADING
	LIMITED.
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN	
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN	
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN	
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN	
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN	
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN	
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN	
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN	
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN 17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, ff different supplementary notes	nt from Report)
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN	nt from Report)
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN 17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, ff different). 18. SUPPLEMENTARY NOTES	nt from Report)
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN 17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, ff different supplementary notes	nt from Report)
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN 17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, if different supplementary notes	nt from Report)
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN 17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, if different supplementary notes 18. Supplementary notes	umber)
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN 17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, ff different supplementary notes	umber)
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN 17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, if different supplementary notes 18. Supplementary notes	umber)
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN 17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, if different supplementary notes 18. Supplementary notes	umber)
APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UN 17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, if different supplementary notes 18. Supplementary notes	umber)

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE Unclassified 405 60
SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered

SDCS EVENT REPORT NO. 71

NTS Event "INLET", 20 November 1975

This event report contains seismic data from the Special Data Collection System (SDCS), and other sources for the above event. Published epicenter information from seismic observations is:

	"P" Arrival	Origin Time	Lat.	Long.	^{m}b	Ms	
NORSAR	15:11:32.0	15:00:06	38 N	116 W	5.6	N/A	
Hagfors	15:11:40.6	14:59:45	35 N	119 W	6.3	4.5	


Using SDCS stations, LASA and NORSAR, the epicenter location and magnitudes become: Origin time
15:00:02.0; 37.3N; 116.4W; 5.7; 4.2.

All SDCS stations were operational during this period. (and M subs--

Short-period signals associated with this event were recorded at all SDCS stations, LASA and NORSAR. Horizontal SP channels at all SDCS stations were rotated.

Long-period signals were recorded at all SDCS stations and NORSAR. Horizontal LP channels at all SDCS stations were rotated. Polarity of the LP radial channel at RK-ON is uncertain. Validity of the NORSAR long-period vertical beam is questionable and horizontal beams were not included due to program recovery problems. ALPA long-period data were not recoverable. LASA long-period data were not included due to complicated recovery procedures.

Scaling factors on plots are millimicrons at 1 Hz (not corrected for instrument response) with the exception of LASA and NORSAR short-period plots. LASA SP scaling factors are millimicrons per inch. Scaling factors are not reported for NORSAR short-period.



STALION DESCRIPTION

CATION LONG-PERIOD	31300	SL210 V SL220 H	KS36000	7505A V 8700C H	SL210 V SL220 H	7505A V 8700C H	SL210 V SL220 H	SL210 V SL220 H
INSTRUMENTATION SHORT-PERIOD LONG-	None	6480 V 7515 H	KS36000	HS10	18300	HS10	18300	18300
ELEVATION METERS	979	574	910	744	213	379	366	853
SITE COORDINATES DEG MN SEF	65 14 00.0 N 147 44 36.0 W	35 35 41.4 N 085 34 13.5 W	38 32 58.0 N 079 30 47.0 W	46 41 19.0 N 106 13 20.0 W	46 09 43.0 N 067 59 09.0 W	60 49 25.4 N 010 49 56.5 E	50 50 20.0 N 093 40 20.0 W	60 41 41.0 N 134 58 02.0 W
LOCATION	Alaska	McMinnville, Tennessee	Franklin. West Virginia	Billings, Montana	Houlton, Maine	Kjeller, Norway	Red Lake, Ontario	White Horse, Yukon
SITE	AI.PA	CPSO	FN-WV	LASA	HN-ME	NORSAR	RK-ON	WH2YK

The orientation of the radial instruments at FN-WV is assumed to be 316° + 5° based on empirical data (event recordings). Rotation, where performed, is referenced to this azimuth and may be questionable. Note:

HYPOCENTER DETERMINATION

INPUT FOR EVENT 20 NCV 75 15:00:00.0 37.000N 116.000W 0KM.

			RES	IDUALS	DIST.	AZ. REST	
STA.	AFR	IVAI	CAIC	REST	REST		
LAC	_	53.5	-0.1	0.3	12.0	35.7	
FK-CN		46.3	-0.0	-0.5	21.1	42.9	
CPSO	15 05	24.6	-0.2	0.3	24.8	84.7	
WHZYK		37.7	0.2	0.6	26.2	339.2	
FN-WV		02.5	0.0	0.1	29.0	76.2	
HN-ME		09.7	C.6	0.3	36.7	60.5	
NAC		32.0	-0. c	-1.1	73.1	24.1	

67 HERRIN TRAVEL TIME TABLES

CRIGIN IAT. LCNG. DEPTH (KM) SEV IT STA 15:00:10.3 37.587N 116.176W 52. CAIC 0.4 3 7 15:00:02.0 37.338N 116.363W 0. FEST 0.6 3 7

CAIC			REST								
		1 .	1					1.	1		
	0			C			0	•		0	
0		0.	3		2	C		0.	3		2
	•		•	•	•	•	•	• •	•	•	•
0		0.	0		0	C		0.	0		0
	0			0			0	•		0	
		c .	0					0 .	0		

CHI2 COVERAGE ELLIFSE; 95 PER CENT CONF..LEVEL, SDV= 1.69
MAJOF 61.6KM. MINCF 37.9KM. AZ= 30 AREA= 7334 SQ.KM. FEST

DATA SUMMARY


INPUT FOR EVENT 20 NOV 75 15 00 00.0 37.000N 116.000W 0KM.


		AF	RRIV	/AL		MAGNITUDE							
STA.	PHASE		TIN		INST	PER	A/T	MB	MS	DIR	TRIC		
LAD M	EP	15	02	53.5	LAD	1.1	642.	6.61			12.3		
RK-ON	EP	15	04	46.3	SPZ	0.7	1501.	5.98			21.1		
RK-ON	LQ	15	11	59.0	LPT	16.0	216.						
RK-ON	E	15	12	51.0	LPR	13.0	173.						
CPSD	EP	15	05	24.6	SPZ	0.7	945.	6.13			24.8		
CPSO	LQ	15	13	42.0	LPT	15.0	1001.				4		
CPSO	LR	15	15	25.0	LPZ	12.0	2020.		5.82		24.8		
WH2YK	EP		05	37.7	SPZ	1.0	127.	5.22			25.2		
WH2YK	LQ		14		LPT	21.0	313.						
WHZYK	LR	15	16	56.0	LPZ	16.0	828.		5.45		25.2		
FN-WV	EP	15	06	02.5	SPZ	0.7	79.	5.20			29.0		
FN-WV	LQ	15	15	55.0	LPT	16.0	689.						
FN-WV	LR	15	18	01.0	LPZ	13.0	953.		5.55		29.3		
HN-ME	EP	15	07	09.7	SPZ	0.9	580.	6.00			35.7		
HN-ME	LQ	15	20	05.0	LPT	17.0	155.						
HN-ME	LR	15	22	47.0	LPZ	16.0	115.		4.74		36.7		
NAD	EP	15		32.0	AB	0 . 7	97.	5.57			73.1		
NAO	LR	15		12.0	LPZ	18.0	16.		4.19		73.1		


SDV STA LPMAG LPSDV LPSTA MAG DEPTH (KM) LONG. LAT. ORIGIN 0.45 6 4.19***** 52. CALC 5.62 15 00 10.3 37.587N 116.176W 15 00 02.0 37.338N 116.363W O. REST 1 6 4.19***** 5.68 0.41 NOT USED IN CALC RUN SP AVG. MAG. NOT USED IN REST RUN SP AVG. MAG.


Short-period magnitudes (m_b) used in averaging are restricted to those recorded at distances between 20 and 110 degrees from the epicenter.


Average long-period magnitude ($\rm M_{\rm S})$ is based on Rayleigh wave observations in the period range of 17 to 23 seconds per cycle.





























TIME

A S MIN I S MI

15:22:00

NORSAR LONG PERIOD VERTICAL BEAM 20 NOV 75

